B2BCatalogCombinations

b2bOpticLensCatalog

combination	
type	
unity	
occurs	1..1
description	

id (attribute of combination)	
type	xs:unsignedInt
use	required
default	null
description	

minSelection (attribute of combination)	
type	xs:unsignedInt
use	required
default	null
description	

maxSelection (attribute of combination)	
type	xs:unsignedInt
use	
default	null
description	

```
<xs:complexType name="B2BCatalogCombinations">
  <xs:sequence>
    <xs:element maxOccurs="unbounded" name="combination">
      <xs:complexType>
        <xs:complexContent>
          <xs:extension base="B2BCatalogCombination">
            <xs:attribute name="id" type="xs:unsignedInt" use="required"/>
            <xs:attribute name="minSelection" type="xs:unsignedInt"
use="required"/>
            <xs:attribute name="maxSelection" type="xs:unsignedInt"/>
          </xs:extension>
        </xs:complexContent>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
```

From:
http://wiki.b2boptic.com/ - **wiki.b2bOptic.com**

Permanent link:
http://wiki.b2boptic.com/en:b2bopticlenscatalog:version0.2.0:complextypes:b2bcatalogcombinations

Last update: **2016/08/24 19:41**