

B2BCatalogOption

[b2bOpticLensCatalog](#)→options



code	
type	B2BCatalogCode
unity	
occurs	1..1
description	
oldCodes	
type	B2BCatalogOldCodes
unity	
occurs	0..-1
description	
names	
type	B2BCatalogNames
unity	
occurs	1..1
description	
sorting	
type	xs:unsignedInt
unity	
occurs	0..-1
description	
valid	
type	B2BCatalogDatePeriod
unity	
occurs	0..-1
description	
coatingTypes	
type	B2BCatalogCoatingTypes
unity	
occurs	0..-1
description	
optionTypes	
type	B2BCatalogOptionTypes
unity	
occurs	0..-1
description	
singleLensOrder	
type	
unity	
occurs	0..-1

description	
brand	
type	
unity	
occurs	0..-1
description	
opticalProperties	
type	B2BCatalogOpticalProperties
unity	
occurs	0..-1
description	
trafficRestrictions	
type	B2BCatalogTrafficRestrictionTypes
unity	
occurs	0..-1
description	
priceGroupIds	
type	B2BCatalogPriceGroups
unity	
occurs	0..-1
description	
onlineorder	
type	B2BCatalogOnlineOrder
unity	
occurs	0..-1
description	
informationIds	
type	B2BCatalogInformationIds
unity	
occurs	0..-1
description	
internal	
type	xs:anyType
unity	
occurs	0..-1
description	

```
<xs:complexType name="B2BCatalogOption">
  <xs:sequence>
    <xs:element name="code" type="B2BCatalogCode"/>
    <xs:element minOccurs="0" name="oldCodes" type="B2BCatalogOldCodes"/>
    <xs:element name="names" type="B2BCatalogNames"/>
    <xs:element minOccurs="0" name="sorting" type="xs:unsignedInt"/>
    <xs:element minOccurs="0" name="valid" type="B2BCatalogDatePeriod"/>
    <xs:element minOccurs="0" name="coatingTypes"
type="B2BCatalogCoatingTypes"/>
  </xs:sequence>
</xs:complexType>
```

```

<xs:element minOccurs="0" name="optionTypes"
type="B2BCatalogOptionTypes"/>
  <xs:element default="SAME_AS_LENS" minOccurs="0" name="singleLensOrder">
    <xs:simpleType>
      <xs:union memberTypes="B2BCatalogSingleLensOrder
B2BCatalogDerivedFromLens"/>
    </xs:simpleType>
  </xs:element>
  <xs:element default="SAME_AS_LENS" minOccurs="0" name="brand">
    <xs:simpleType>
      <xs:union memberTypes="B2BCatalogBrands B2BCatalogDerivedFromLens"/>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" name="opticalProperties"
type="B2BCatalogOpticalProperties"/>
  <xs:element default="NONE" minOccurs="0" name="trafficRestrictions"
type="B2BCatalogTrafficRestrictionTypes"/>
  <xs:element minOccurs="0" name="priceGroupIds"
type="B2BCatalogPriceGroups"/>
  <xs:element minOccurs="0" name="onlineorder"
type="B2BCatalogOnlineOrder"/>
  <xs:element minOccurs="0" name="informationIds"
type="B2BCatalogInformationIds"/>
  <xs:element minOccurs="0" name="internal" type="xs:anyType"/>
</xs:sequence>
</xs:complexType>

```

From:
<https://wiki.b2boptic.com/> - **wiki.b2bOptic.com**

Permanent link:
<https://wiki.b2boptic.com/en:b2bopticlenscatalog:version0.2.0:complextypes:b2bcatalogoption>

Last update: **2016/08/24 19:41**

