

# B2BCatalogPriceField

[b2bOpticLensCatalog](#)→[header](#)→[pricefields](#)

typeOf (attribute of B2BCatalogPriceField)	
<b>type</b>	B2BCatalogPriceTypes
<b>use</b>	required
<b>default</b>	null
<b>description</b>	
<b>id</b>	
<b>type</b>	xs:unsignedInt
<b>unity</b>	
<b>occurs</b>	1..1
<b>description</b>	
<b>currency</b>	
<b>type</b>	B2BCatalogCurrencyCode
<b>unity</b>	
<b>occurs</b>	1..1
<b>description</b>	
<b>vatIncluded</b>	
<b>type</b>	xs:boolean
<b>unity</b>	
<b>occurs</b>	1..1
<b>description</b>	
<b>description</b>	
<b>type</b>	xs:string
<b>unity</b>	
<b>occurs</b>	0..-1
<b>description</b>	
<b>countries</b>	
<b>type</b>	B2BCatalogCountries
<b>unity</b>	
<b>occurs</b>	0..-1
<b>description</b>	

```
<xs:complexType name="B2BCatalogPriceField">
  <xs:sequence>
    <xs:element name="id" type="xs:unsignedInt"/>
    <xs:element name="currency" type="B2BCatalogCurrencyCode"/>
    <xs:element name="vatIncluded" type="xs:boolean"/>
    <xs:element minOccurs="0" name="description" type="xs:string"/>
    <xs:element minOccurs="0" name="countries" type="B2BCatalogCountries"/>
  </xs:sequence>
  <xs:attribute name="typeOf" type="B2BCatalogPriceTypes" use="required"/>
</xs:complexType>
```

From:  
<https://wiki.b2boptic.com/> - **wiki.b2bOptic.com**

Permanent link:  
<https://wiki.b2boptic.com/en:b2bopticlenscatalog:version0.2.0:complextypes:b2bcatalogpricefield>

Last update: **2016/08/24 19:41**

