
pair (Pair)

b2bOpticJobData → items → item → pair



patient	
type	Patient
occurs	0..1
description	data that are patient specific
lens	
type	Lens

lens	
occurs	0..2
description	lens data
quantity (attribute of lens)	
type	integer
use	required
description	the quantity of lenses for one side
frame	
type	Frame
occurs	0..1
description	frame data
edging	
type	Edging
occurs	0..1
description	
fitting	
type	Fitting
occurs	0..1
description	
remark	
type	string
occurs	0..1
description	
thicknessMatching	
type	boolean
occurs	0..1
default	false
description	todo Beschreibung zufügen
weightMatching	
type	boolean
occurs	0..1
default	false
description	
prismMatching	
type	boolean
occurs	0..1
default	false
description	
baseMatching	
type	boolean
occurs	0..1
default	false
description	

```
<xs:complexType name="Pair">
  <xs:sequence>
```

```
    <xs:element name="patient" type="Patient" minOccurs="0"/>
    <xs:element name="lens" minOccurs="0" maxOccurs="2">
      <xs:complexType>
        <xs:complexContent>
          <xs:extension base="Lens">
            <xs:attribute name="quantity" type="xs:integer" use="required"/>
          </xs:extension>
        </xs:complexContent>
      </xs:complexType>
    </xs:element>
    <xs:element name="frame" type="Frame" minOccurs="0"/>
    <xs:element name="edging" type="Edging" minOccurs="0"/>
    <xs:element name="fitting" type="Fitting" minOccurs="0"/>
    <xs:element name="remark" type="xs:string" minOccurs="0"/>
    <xs:element name="thicknessMatching" type="xs:boolean" default="false"
minOccurs="0"/>
    <xs:element name="weightMatching" type="xs:boolean" default="false"
minOccurs="0"/>
    <xs:element name="prismMatching" type="xs:boolean" default="false"
minOccurs="0"/>
    <xs:element name="baseMatching" type="xs:boolean" default="false"
minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
```

From:
http://wiki.b2boptic.com/ - **wiki.b2bOptic.com**

Permanent link:
http://wiki.b2boptic.com/en:jobdata:version010603:complextypes:pair

Last update: **2026/08/10 12:42**