


# address (Address)

b2bOpticJobData → items → item → parties → address



addressLine	
<b>type</b>	string
<b>occurs</b>	0..3
<b>description</b>	street name with house number or building (part of postal address)
poBox	
<b>type</b>	string
<b>occurs</b>	0..1
<b>description</b>	postbox
city	
<b>type</b>	string
<b>occurs</b>	0..1
<b>description</b>	city
zip	
<b>type</b>	string
<b>occurs</b>	0..1
<b>description</b>	zip code of postal company
countryCode	
<b>type</b>	string
<b>occurs</b>	0..1
<b>description</b>	country code in <a href="https://www.iso.org/iso-3166-2.html">ISO-3166-2</a>

```

<xs:complexType name="Address">
  <xs:sequence>
    <xs:element name="addressLine" type="xs:string" minOccurs="0"
maxOccurs="3"/>
    <xs:element name="poBox" type="xs:string" minOccurs="0"/>
    <xs:element name="city" type="xs:string" minOccurs="0"/>
    <xs:element name="zip" type="xs:string" minOccurs="0"/>
    <xs:element name="countryCode" type="xs:string" minOccurs="0"/>
  
```

</xs:sequence>  
</xs:complexType>

From:  
<https://wiki.b2boptic.com/> - **wiki.b2bOptic.com**

Permanent link:  
<https://wiki.b2boptic.com/en:jobdata:version010604:complextypes:address:item>

Last update: **2020/05/15 11:17**

