


B2BCatalogLensPriceGroups

b2bOpticLensCatalog



lensPriceGroup	
type	B2BCatalogLensPriceGroup
occurs	1..∞
description	group of lensprices
id (attribute of lensPriceGroup)	
type	xs:unsignedInt
use	required
description	id of lensPriceGroup comes from b2bcatalogpricegroupids
internalDescription (attribute of lensPriceGroup)	
type	xs:string
use	optional
description	for internal use only, will not be displayed

```
<xs:complexType name="B2BCatalogLensPriceGroups">
  <xs:sequence>
    <xs:element maxOccurs="unbounded" name="lensPriceGroup">
      <xs:complexType>
        <xs:complexContent>
          <xs:extension base="B2BCatalogLensPriceGroup">
            <xs:attribute name="id" type="xs:unsignedInt" use="required"/>
            <xs:attribute name="internalDescription" type="xs:string"/>
          </xs:extension>
        </xs:complexContent>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
```

From:

<http://wiki.b2boptic.com/> - **wiki.b2bOptic.com**

Permanent link:

<http://wiki.b2boptic.com/en:lenscatalog:version070000:complextypes:b2bcataloglenspricegroups>

Last update: **2017/07/11 16:28**

