


B2BCatalogOrderOptionGroups

b2bOpticLensCatalog



orderOptionGroup	
type	B2BCatalogOrderOptionGroup
occurs	1..∞
description	Groups of OrderOption can be defined here
id (attribute of orderOptionGroup)	
type	xs:unsignedInt
use	required
description	id of orderOptionGroup
internalDescription (attribute of orderOptionGroup)	
type	xs:string
use	optional
description	for internal use only, will not be displayed

```
<xs:complexType name="B2BCatalogOrderOptionGroups">
  <xs:sequence>
    <xs:element maxOccurs="unbounded" name="orderOptionGroup">
      <xs:complexType>
        <xs:complexContent>
          <xs:extension base="B2BCatalogOrderOptionGroup">
            <xs:attribute name="id" type="xs:unsignedInt" use="required"/>
            <xs:attribute name="internalDescription" type="xs:string"/>
          </xs:extension>
        </xs:complexContent>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
```

From:

<http://wiki.b2boptic.com/> - **wiki.b2bOptic.com**

Permanent link:

<http://wiki.b2boptic.com/en:lenscatalog:version070200:complextypes:b2bcatalogorderoptiongroups>

Last update: **2020/05/15 07:35**

