XML-Structure

Root-Element: b2bOpticInfo

In the root-element the location of the XSD at schema.b2boptic.com is mandatory, so the receiver could identify the version of XML.

```
<b2bOpticInfo xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="http://schema.b2boptic.com/b2boptic_lensinfo_
1.0.0.xsd">
```

items	
type	sequence of item
occurs	1
description	main tag that include a list of status info items
item (element of items)	
type	B2BInfoItem
occurs	1..n
description	a status info for one order
experimental	
type	anyType
occurs	0..n
description	section for internal tests at development

```
  <xs:element name="b2bOpticInfo">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="items">
          <xs:complexType>
            <xs:sequence>
              <xs:element maxOccurs="unbounded" name="item"
type="B2BInfoItem" />
            </xs:sequence>
          </xs:complexType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="unbounded" name="experimental"
type="xs:anyType" />
      </xs:sequence>
    </xs:complexType>
  </xs:element>
```

From:
http://wiki.b2boptic.com/ - **wiki.b2bOptic.com**

Permanent link:
http://wiki.b2boptic.com/en:lensinfo:version010000:structure

Last update: **2014/01/03 15:24**