


# parties (Account)

b2boptic → items → item → parties



<b>id</b>	
<b>type</b>	string
<b>occurs</b>	1
<b>description</b>	customer number
<b>memberShipID (attribute of id)</b>	
<b>type</b>	long
<b>use</b>	optional
<b>default</b>	1
<b>description</b>	obsolete id for a brand of Zeiss, if old customer numbers are used
<b>name</b>	
<b>type</b>	string
<b>occurs</b>	0..1
<b>description</b>	name of the party
<b>address</b>	
<b>type</b>	<a href="#">Address</a>
<b>occurs</b>	0..1
<b>description</b>	address of the party
<b>contact</b>	
<b>type</b>	<a href="#">ContactInfo</a>
<b>occurs</b>	0..1
<b>description</b>	contact info of the party

```

<xs:complexType name="Account">
  <xs:sequence>
    <xs:element name="id">
      <xs:complexType>
        <xs:simpleContent>
          <xs:extension base="xs:string">
            <xs:attribute name="memberShipID" type="xs:long" use="optional"
default="1"/>
          </xs:extension>
        </xs:simpleContent>
      </xs:complexType>
    </xs:element>
    <xs:element name="name" type="string" minOccurs="0" maxOccurs="1"/>
    <xs:element name="address" type="Address" minOccurs="0" maxOccurs="1"/>
    <xs:element name="contact" type="ContactInfo" minOccurs="0" maxOccurs="1"/>
  </xs:sequence>
</xs:complexType>
  
```

```
</xs:element>  
<xs:element name="name" type="xs:string" minOccurs="0"/>  
<xs:element name="address" type="Address" minOccurs="0"/>  
<xs:element name="contact" type="ContactInfo" minOccurs="0"/>  
</xs:sequence>  
</xs:complexType>
```

From:  
<https://wiki.b2boptic.com/> - **wiki.b2bOptic.com**

Permanent link:  
<https://wiki.b2boptic.com/en:lensorder:version010600:complextypes:account:item>

Last update: **2013/05/23 14:04**

