


# map (IProfilerMap)

b2boptic → items → item → pair → patient → iProfilerData → result → wavefrontCornea → map



<b>point</b>	
<b>occurs</b>	1..n
<b>x</b>	
<b>type</b>	float
<b>occurs</b>	1
<b>unity</b>	µm
<b>description</b>	
<b>y</b>	
<b>type</b>	float
<b>occurs</b>	1
<b>unity</b>	µm
<b>description</b>	
<b>z</b>	
<b>type</b>	float
<b>occurs</b>	1
<b>unity</b>	µm
<b>description</b>	

```

<xs:complexType name="IProfilerMap">
  <xs:sequence maxOccurs="unbounded">
    <xs:element name="point">
      <xs:complexType>
        <xs:sequence>
          <xs:element name="x" type="xs:float" />
          <xs:element name="y" type="xs:float" />
          <xs:element name="z" type="xs:float" />
        </xs:sequence>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
  
```

From:  
<https://wiki.b2boptic.com/> - **wiki.b2bOptic.com**

Permanent link:  
<https://wiki.b2boptic.com/en:lensorder:version010603:complextypes:iprofilermap:wavefrontcornea>

Last update: **2017/06/16 17:20**

