

address (Address)

[b2bOpticRequest](#) → [header](#) → [orderParties](#) → address

addressLine	
type	string
occurs	0..3
description	street name with house number or building (part of postal address)
poBox	
type	string
occurs	0..1
description	postbox
province	
type	string
occurs	0..1
description	province
region	
type	string
occurs	0..1
description	region
state	
type	string
occurs	0..1
description	state
city	
type	string
occurs	0..1
description	city
zip	
type	string
occurs	0..1
description	zip code of postal company
countryCode	
type	string
occurs	0..1
description	country code in ISO-3166-2

```
<xs:complexType name="Address">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="3" name="addressLine"
type="xs:string" />
    <xs:element minOccurs="0" name="poBox" type="xs:string" />
    <xs:choice minOccurs="0">
      <xs:element name="province" type="xs:string" />
      <xs:element name="region" type="xs:string" />
      <xs:element name="state" type="xs:string" />
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

```
</xs:choice>  
<xs:element name="city" type="xs:string" />  
<xs:element name="zip" type="xs:string" />  
<xs:element name="countryCode" type="xs:string" />  
</xs:sequence>  
</xs:complexType>
```

From:
<https://wiki.b2boptic.com/> - **wiki.b2bOptic.com**

Permanent link:
<https://wiki.b2boptic.com/en:lensrequest:version010000:complextypes:address:orderparties>

Last update: **2013/06/05 14:30**

