

# address (Address)

[b2bOpticRequest](#) → [items](#) → [search](#) → [parties](#) → address

<b>addressLine</b>	
<b>type</b>	string
<b>occurs</b>	0..3
<b>description</b>	street name with house number or building (part of postal address)
<b>poBox</b>	
<b>type</b>	string
<b>occurs</b>	0..1
<b>description</b>	postbox
<b>province</b>	
<b>type</b>	string
<b>occurs</b>	0..1
<b>description</b>	province
<b>region</b>	
<b>type</b>	string
<b>occurs</b>	0..1
<b>description</b>	region
<b>state</b>	
<b>type</b>	string
<b>occurs</b>	0..1
<b>description</b>	state
<b>city</b>	
<b>type</b>	string
<b>occurs</b>	0..1
<b>description</b>	city
<b>zip</b>	
<b>type</b>	string
<b>occurs</b>	0..1
<b>description</b>	zip code of postal company
<b>countryCode</b>	
<b>type</b>	string
<b>occurs</b>	0..1
<b>description</b>	country code in <a href="#">ISO-3166-2</a>

```
<xs:complexType name="Address">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="3" name="addressLine"
type="xs:string" />
    <xs:element minOccurs="0" name="poBox" type="xs:string" />
    <xs:choice minOccurs="0">
      <xs:element name="province" type="xs:string" />
      <xs:element name="region" type="xs:string" />
      <xs:element name="state" type="xs:string" />
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

```
</xs:choice>  
<xs:element name="city" type="xs:string" />  
<xs:element name="zip" type="xs:string" />  
<xs:element name="countryCode" type="xs:string" />  
</xs:sequence>  
</xs:complexType>
```

From:  
<https://wiki.b2boptic.com/> - **wiki.b2bOptic.com**

Permanent link:  
<https://wiki.b2boptic.com/en:lensrequest:version010000:complextypes:address:search>

Last update: **2013/06/05 15:46**

