

header (Header)

[b2bOpticRequest](#) → header

msgType	
type	MsgTypes
use	optional
default	REQUEST
description	
msgState	
type	MsgStates
use	optional
default	NEW
description	
<i>testIndicator</i>	
type	boolean
use	optional
default	false
description	
cultureId	
type	string
occurs	1
description	
customersOrderId	
type	string
occurs	1
description	
distributorsOrderId	
type	string
occurs	1
description	
timeStamps	
type	TimeStamps
occurs	1..n
description	list of timestamps
remark	
type	string
occurs	0..1
description	
orderParties	
type	Account
occurs	1..n
description	

role (attribute of orderParties)

type	Roles
use	required
description	

software	
type	Software
occurs	1..n
description	list of software programs that create or edit the content

productCatalog	
type	ProductCatalog
occurs	0..1
description	

portalOrderId	
type	string
occurs	1
description	retailer's order id

```
<xs:complexType name="Header">
  <xs:sequence>
    <xs:element name="cultureId" type="xs:string"/>
    <xs:element name="customersOrderId" type="xs:string"/>
    <xs:element name="distributorsOrderId" type="xs:string"/>
    <xs:element name="timeStamps" type="TimeStamps" maxOccurs="unbounded"/>
    <xs:element name="remark" type="xs:string" minOccurs="0"/>
    <xs:element name="orderParties" maxOccurs="unbounded">
      <xs:complexType>
        <xs:complexContent>
          <xs:extension base="Account">
            <xs:attribute name="role" type="Roles" use="required"/>
          </xs:extension>
        </xs:complexContent>
      </xs:complexType>
    </xs:element>
    <xs:element name="software" type="Software" maxOccurs="unbounded"/>
    <xs:element name="productCatalog" type="ProductCatalog" minOccurs="0"/>
    <xs:element name="portalOrderId" type="xs:string"/>
  </xs:sequence>
  <xs:attribute name="msgType" type="MsgTypes" use="optional"
  default="REQUEST"/>
  <xs:attribute name="msgState" type="MsgStates" use="optional"
  default="NEW"/>
  <xs:attribute name="testIndicator" type="xs:boolean" use="optional"
  default="false"/>
</xs:complexType>
```

From:
<https://wiki.b2boptic.com/> - **wiki.b2bOptic.com**

Permanent link:
<https://wiki.b2boptic.com/en:lensrequest:version010000:complextypes:header>

Last update: **2013/06/05 15:00**

