


# tracerData (TracerData)

b2bOpticJobData → items → item → pair → frame → shape → tracerData



tracerType	
type	TracerType
occurs	1
description	

tracerVersion	
type	string
occurs	1
description	

tracerID	
type	string
occurs	0..1
description	Serialnumber of tracer

binaries	
type	hexBinary
occurs	1
description	binary shape data of tracer

<i>format (attribute of binaries)</i>	
type	TracerBinaryFormat
use	required
description	

adjution	
type	float
unity	mm
occurs	0..1
description	general size adjution parameter

```
<xs:complexType name="TracerData">
  <xs:sequence>
    <xs:element name="tracerType" type="TracerType" />
    <xs:element name="tracerVersion" type="xs:string" />
    <xs:element minOccurs="0" name="tracerID" type="xs:string" />
    <xs:element name="binaries">
      <xs:complexType>
        <xs:simpleContent>
          <xs:extension base="xs:hexBinary">
            <xs:attribute name="format" type="TracerBinaryFormat"
use="required" />
          </xs:extension>
        </xs:simpleContent>
      </xs:complexType>
    </xs:element>
    <xs:element minOccurs="0" name="adjustion" type="xs:float" />
  </xs:sequence>
</xs:complexType>
```

From:  
<https://wiki.b2boptic.com/> - **wiki.b2bOptic.com**

Permanent link:  
<https://wiki.b2boptic.com/en:jobdata:version010603:complextypes:tracerdata>

Last update: **2017/06/19 18:36**

